| | · · | JTAH OIL AND GAS CO | ONSERVATION C | OMMISSIO | N | |
|----------------------|--|---------------------|------------------|-------------|--------|-----------------------------|
| REMARKS: WELL LOG_ | ELECTRIC LOGSFILE | WATER SANI | DSLOCAT | ON INSPECTE | D | SUB. REPORT/ab |
| 720731 Cou | Krell to PGE. E RESOUTC | us eff. 7-1-92. | 1 | | | |
| | | | | | | |
| · | | | | | | |
| | | | | | | |
| DATE FILED | 10-29-90 | | | | a | |
| LAND: FEE & PATENTED | STATE LEASE NO. | | PUBLIC LEASE NO. | U-659 | | INDIAN |
| DRILLING APPROVED | | T | PUBLIC LEASE NO. | 0-0.5 | 7-7 | INDIAN |
| SPUDDED IN: | 11-21-90 (Exception | Location) | | | | |
| COMPLETED: 0 - 0 - | 90 LA PUT TO PRODUCING | | | | | |
| INITIAL PRODUCTION: | 10 17 | | | | | |
| GRAVITY A.P.I. | | | | | | |
| GOR: | | | | | | |
| PRODUCING ZONES: | I BERTHAM I | | | | | |
| TOTAL DEPTH | | | | | | |
| WELL ELEVATION: | | | | | | |
| DATE ABANDONED: | D Par Moor off | 10-10-98 | | | | |
| FIELD: | WILDCAT | 10 0 - 10 | | | | |
| UNIT: | WILDUAL | | | | | |
| COUNTY: | CARBON | | | | | |
| WELL NO. | 1210-1204 #1 | | | | APT NO | . 43-007-30125 |
| LOCATION 1140 | FNL FT. FROM (N) (S) LINE, | 1171' FWL | FT. FROM (E) (W) | LINE. NI | I NW | 1/4 — 1/4 SEC. 12 |
| | - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | | | All | A1 19 | |
| TWP. RGE. | SEC. OPERATOR | | TWP. | RGE. | SEC | OPERATOR PGEE RESOURCES CO. |
| | | | 125 | 10E | 1/2 | GOCKRELL OIL COPPORATION |



1600 SMITH • SUITE 4600 • HOUSTON, TEXAS 77002-7348 TELEPHONE 713/651-1271

October 25/1990

OCT 29 ₁₉₉₀

State of Utah Department of Natural Resources Division of Oil, Gas & Mining 3 Triad Center, Suite 350 355 West North Temple Salt Lake City, Utah 84180-1203

Re:

Application for Permit to Drill

State of Utah

Gentlemen:

Enclosed you will find two copies of the Application for Permit to Drill for the following wells:

1210-1204 Well No. 1

1210-1304 Well No. 1

1210-2304 Well No. 1

1210-2310 Well No. 1

1210-2404 Well No. 1

Please call if you have any questions regarding the above. You can reach me at (713) 750-9309. Thank you for your assistance.

Very truly yours,

B. E. Weichman

Geologist

BEW:ys Enclosures 1 orm 3160-3 (November 1983) (formerly 9-331C)

SUBMIT IN TR UNITED STATES

(Other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0136

| | Expires | August | 31, | 1985 | |
|----|-------------|--------------|--------|------------|----|
| _ | | | | | |
| ١. | T.EASE DEST | A M A M TANK | A BYES | 0 TO 7 A 7 | WA |

| DEPARTMENT | OF | THE | INTERIO | F |
|-------------------|--------|-----|---------|---|
| BUBEAU OF | 4 5 10 | | | |

| BUREAU OF LAND MANAGEMENT | | | | | UTU-65948 | | | |
|---|-----------------------------------|--------------------|---------------|---------------|----------------------|---|-----------------|--|
| APPLICATION | Y FOR PERMIT T | O DRILL, DE | EEPEN | OR PLU | G BACK | 6. IF INDIAN, ALLOTTE | D OR TRIBE NAME | |
| la. TYPE OF WORK | | | - 8-75 - | | | Not Applical | | |
| DRI | LL X | DEEPEN 🗌 |] | PLUG | BACK 🔲 | V. UNIT AGREEMENT N | AME | |
| b. TYPE OF WELL | | | | _ | | Not Applical | ble | |
| WELL W | ELL X OTHER | | SINGL ZONE | ع لــا ب | ONE X | 8. FARM OR LEASE NA | MF | |
| 2. NAME OF OPERATOR | | | 100 | S OCT | 29 1990 | 1210-1204 | | |
| | l Corporation | | | | | 9. WELL NO. | | |
| 3. ADDRESS OF OPERATOR | | | • | DIVIS | SION OF_ | <u> </u> | | |
| | Street, Suite 46 | | | | | 10. FIELD AND POOL, | OR WILDCAT | |
| 4. LOCATION OF WELL (R. At surface | eport location clearly and | in accordance with | any State | requirements. | *) | Wildcat | | |
| 1140' FNL, | 1171' FWL (SE∄NW | 14NW4) 12-129 | S-10E | | | 11. SEC., T., R., M., OR AND SURVEY OR A | BLK. | |
| At proposed prod. zon | e | • | | | | " | | |
| Same As Abov | | | | | | Section 12, T12S, R10E | | |
| 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* | | | | | 12. COUNTY OR PARISH | 18. STATE | | |
| Approximate | l <u>v Ten (10) Mile</u> | | | | | Carbon | Utah | |
| 15. DISTANCE FROM PROPO LOCATION TO NEAREST | 2 | 1 | 16. NO. OF | ACRES IN LEA | | OF ACRES ASSIGNED THIS WELL | | |
| PROPERTY OR LEASE ! (Also to nearest drig | INE, FT. g. unit line, if any) | 1140' | 247 | 3.31 | | 40 | | |
| 18. DISTANCE FROM PROP TO NEAREST WELL, D | | ,1 | 19. PROPO | SED DEPTH | 20. ROT | ARY OR CABLE TOOLS | | |
| OR APPLIED FOR, ON TH | | N/A | <u></u> 550 | 10' MVR(|) | Rotary | | |
| 21. ELEVATIONS (Show who | ether DF, RT, GR, etc.) | | | | | 22. APPROX. DATE WO | DEK WILL START* | |
| 7281' GR | | | | | | December 1 | , 1990 | |
| 23. | | PROPOSED CASING | G AND CE | MENTING PR | DGRAM | | | |
| SIZE OF HOLE | SIZE OF CABING | WEIGHT PER FOO | т | SETTING DEPT | н | QUANTITY OF CEME | NT | |
| 12-1/4" | 8-5/8" WC-50 | 23.0# | | 0- 500' | 385 | sx Circulated | to Surface | |
| 7-7/8" | _5-1/2" WC-50_ | 17.0# | | 0-5500' | 1 | sx Cement | | |
| • | · - | | 4 | | | • | | |

EIGHT-POINT RESOURCE PROTECTION PLAN ATTACHED.

I hereby certify that Cockrell Oil Corporation is authorized by the proper Lease Interest Owners to conduct lease operations associated with this Application for Permit to Drill the 1210-1204 #1, Federal Lease # UTU-65948. Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Cockrell Oil Corporation, Statewide Bond # UT-0794, who will be responsible for compliance with all the terms and conditions of that portion of the lease associated with this Application for Permit to Drill.


IN ABOVE SPACE DESCRIBE PROFOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout pr

| preventer program, if any. | | |
|--|----------------|-----------------|
| 81GNED FOLKON HOLLONGOOD TITLE | Vice-President | DATE 10/15/90 |
| (This space for Federal or State office use) PERMIT NO. 43.007.30105 | APPROVAL DATE | v. Grana Bog |
| APPROVED BY TITLE | D41. | 4 21 90 10 G |
| CONDITIONS OF APPROVAL, IF ANY: | En A | Phic 3.3 |

*See Instructions On Reverse Side

Cement volumes may change due to hole size. Calculate from Caliper log.

T12S, R10E, S.L.B.&M.



▲ = SECTION CORNERS LOCATED. (Bress Caps)

NOTE: WELL BEARS S44'40'40"E — 1629.61" FROM THE NORTHWEST CORNER OF SECTION 12.

COCKRELL OIL CORP.

Weil location 1210—1204 No. 1, located as Shown in the NW 1/4 NW 1/4 of Section 12, T12S, R10E, S.L.B.&M. Carbon County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT A RIDGE TOP IN THE SW 1/4 NE 1/4 OF SECTION 11, T12S, R10E, S.L.B.&M. TAKEN FROM THE MATTS SUMMIT QUADRANGLE, UTAH, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP). PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 7282 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR

STATE OF UTAH

REMSED: 10-15-90

UINTAH ENGINEERING & LAND SURVEYING
P. 0. BOX 1758 - 85 SOUTH - 200 EAST
VERNAL UTAH - 84078

SCALE

1" = 1000'

PARTY

R.L.K. L.D.T. J.T.K. T.D.H.

WEATHER

DATE

8-20-90


REFERENCES

G.L.O. PLAT

FILE

WARM


COCKRELL OIL CORP.




STATE ACTIONS

Mail to: RDCC Coordinator 116 State Capitol Salt Lake City, Utah 84114

| 1. | ADMINISTERING STATE AGENCY OIL, GAS AND MINING 355 West North Temple 3 Third Conton Suits 350 |
|------|--|
| | 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 3. APPROXIMATE DATE PROJECT WILL START: December 1, 1990 |
| 4. | AREAWIDE CLEARING HOUSE(s) RECEIVING STATE ACTIONS: (to be sent out by agency in block 1) Southeastern Utah Association of Governments |
| 5. | TYPE OF ACTION: /_/ Lease /X/ Permit /_/ License /_/ Land Acquisition /_/ Land Sale /_/ Land Exchange /_/ Other |
| б. | TITLE OF PROPOSED ACTION: Application for Permit to Drill |
| 7. | DESCRIPTION: Cockrell Oil Corporation proposes to drill a wildcat well, the 1210-1204 #1 on federal lease UTU-65948 in Carbon County, Utah. This action is being presented to RDCC for consideration of resource issues affecting state interests. The U.S Bureau of Land Management is the primary administrative agency in this action and must issue approval before operations commence. |
| 8. | LAND AFFECTED (site location map required) (indicate county) NW/4, NW/4, Section 12, Township 12 South, Range 10 East, Carbon County, Utah |
| 9. | HAS THE LOCAL GOVERNMENT(s) BEEN CONTACTED? Unknown |
| 10. | POSSIBLE SIGNIFICANT IMPACTS LIKELY TO OCCUR: No significant impacts are likely to occur. |
| 11. | NAME AND PHONE NUMBER OF DISTRICT REPRESENTATIVE FROM YOUR AGENCY NEAR PROJECT SITE, IF APPLICABLE: |
| 12. | FOR FURTHER INFORMATION, CONTACT: 13. SIGNATURE AND TITLE OF AUTHORIZED OFFICIAL R.J. Firth |
| | PHONE: 538-5340 DATE: 11-1-90 Petroleum Engineer |
| WOI1 | 87 |





COCKRELL OIL CORPORATION
Lease #UTU-65948, 1210-1204 #1
NW4NW4, Section 12, T12S, R10E
Carbon County, Utah

Drilling Prognosis

1. Estimated Tops of Important Geologic Markers:

Garage Transport

| Flagstaff | Surface | Blackhawk | 4240' |
|-------------|---------|-------------|-------|
| North Horn | 200' | Starpoint | 4960' |
| Price River | 3490' | Total Depth | 5500' |
| Castlegate | 3965' | | |

2. Estimated Depths of Anticipated Water, Oil, Gas or Mineral Formations:

| Blackhawk | 4240' | Gas (Primary Objective) |
|-----------|-------|-------------------------|
| Starpoint | 4960' | Gas (Primary Objective) |

Any shallow water zones encountered will be adequately protected and reported; none anticipated. All potentially productive hydrocarbon zones will be cemented off.

- 3. Pressure Control Equipment: (Schematic Attached)
 - A. Type: 9-10" Double Gate Hydraulic.

The Blow-Out Preventer will be equipped as follows:

- 1. One (1) blind ram (above).
- 2. One (1) pipe ram (below).
- 3. Kill line (2-inch minimum).
- 4. One (1) kill line valve (2-inch minimum).
- 5. One (1) choke line valve.
- 6. Two (2) adjustable chokes.
- 7. Upper kelly cock valve with handle available.
- 8. Safety valve & subs to fit all drill strings in use.
- 9. 2-inch (minimum) choke line.
- 10. Fill-up line above the uppermost preventer.
- B. Pressure Rating: 2000 psi
- C. Testing Procedure:

At a minimum, the BOP, choke manifold, and related equipment will be pressure tested to the approved working pressure of the BOP stack (if isolated from the surface casing by a test plug) or to 70% of the internal yield strength of the surface casing (if the BOP is not isolated from the casing by a test plug).

3. Pressure Control Equipment:

C. Testing Procedure: Continued

Pressure will be maintained for a period of at least ten (10) minutes or until the requirements of the test are met, whichever is longer.

At a minimum, the above pressure test will be performed:

- When the BOP is initially installed;
- 2. Whenever any seal subject to test pressure is broken;
- 3. Following related repairs; and
- 4. At thirty (30) day intervals.

In addition to the above, the pipe and blind rams will be activated each trip, but not more than once each day.

All BOP drills and tests will be recorded in the IADC driller's log.

D. Choke Manifold Equipment:

All choke lines will be straight lines unless turns use tee blocks or are targeted with running tees, and will be anchored to prevent whip and vibration.

E. Accumulator:

The accumulator will have sufficient capacity to close all BOP's and retain 200 psi above precharge. Nitrogen bottles which meet the manufacturer's specifications will be used as the backup to the required independent power source. The accumulator precharge pressure test will be conducted prior to connecting the closing unit to the BOP stack and at least once every six (6) months thereafter. The accumulator pressure will be corrected if the measured precharge pressure is found to be above or below the maximum or minimum limits specified in Onshore Operating Order Number 2.

F. Miscellaneous Information:

The Blow-Out Preventer and related pressure control equipment will be installed, tested and maintained in compliance with the specifications in and requirements of Onshore Operating Order Number 2.

3. Pressure Control Equipment:

F. Miscellaneous Information: Continued

The choke manifold and BOP extension rods with hand wheels will be located outside the rig sub-structure. The hydraulic BOP closing unit will be located at least twenty-five (25) feet from the well head but readily accessible to the driller. Exact locations and configurations of the hydraulic BOP closing unit will depend upon the particular rig contracted to drill this hole.

A flare line will be installed after the choke manifold, extending 125 feet (minimum) from the center of the drill hole to a separate flare pit.

4. The Proposed Casing and Cementing Program: (All New)

A. Casing Program:

| <u>Hole Size</u> | <u>Casing Size</u> | Wt./Ft. | <u>Grade</u> | <u>Joint</u> | Depth Set |
|------------------|--------------------|---------|--------------|--------------|-----------|
| 12-1/4" | 8-5/8" | 23.0# | WC-50 | | 0- 500' |
| 7-7/8" | 5-1/2" | 17.0# | WC-50 | | 0-5500' |

Casing string(s) will be pressure tested to 0.22 psi/foot of casing string length or 1500 psi, whichever is greater (not to exceed 70% of the internal yield strength of the casing), after cementing and prior to drilling out from under the casing shoe.

B. Cementing Program:

Surface Casing : Lead with approximately 25 sx
Pozmix "A" as scavenger. Tail with
approximately 360 sx Premium cement
with 2% CaCl₂ + 0.25 #/sx Flocele,
circulated to surface with 100%
excess.

Production Casing: First Stage, 25 sx Silica HiFill as scavenger followed by 300 sx 50/50 Pozmix with 2% gel, 0.6% Halad 322 + 0.25 #/sx Flocele.

Production Casing : <u>Second Stage</u>, 160 sx Silica HiFill cement circulated to surface.

4. The Proposed Casing and Cementing Program:

B. <u>Cementing Program</u>: Continued

A greater amount of cement will be used if necessary to ensure that all potentially productive hydrocarbon zones are cemented off. Fill-up to be determined from logs.

All waiting on cement (WOC) times will be adequate to achieve a minimum of 500 psi compressive strength at the casing shoe prior to drilling out.

5. Mud Program: (Visual Monitoring)

| <u>Interval</u> | <u>Type</u> | Weight | <u>Viscosity</u> | Fluid Loss |
|-----------------|-------------|---------|------------------|------------|
| 0- 500' | Air Mist | | 40-60 | No Control |
| 500-5500' | Gel/Caustic | 8.7-9.1 | | 10-20 cc's |

Sufficient mud material(s) to maintain mud properties, control lost circulation and contain a blowout will be available at the well site during drilling operations.

6. Evaluation Program:

Logs

| Dual Induction Guard | : | 5500' | - | 5001 |
|--------------------------------------|---|-------|---|------|
| Spectral Density/Dual Spaced Neutron | : | 5500' | - | 5001 |
| High Resolution Spectral Density | : | 5500' | - | 500' |
| Microlog | : | 5500' | _ | 500' |

DST's

None Anticipated.

Cores

None anticipated.

Evaluation Program may change at the discretion of the well-site geologist, with prior approval from the Authorized Officer, Moab District Office, Bureau of Land Management, P.O. Box 970, Moab, Utah 84532-0970.

6. Evaluation Program: Continued

Stimulation

No stimulation or frac treatment has been formulated for this test at this time. The drill site, as approved, will be of sufficient size to accommodate all completion activities.

Whether the well is completed as a dry hole or as a producer, Well Completion and Recompletion Report and Log (Form 3160-4) will be submitted to the Lander Resource Area Office not later than thirty (30) days after the completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164.

Two (2) copies of all logs, core descriptions, core analyses, well test data, geologic summaries, sample descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the District Manager, Moab District Office, Bureau of Land Management.

7. Abnormal Conditions:

No abnormal temperatures or pressures are anticipated. No H_2S has been reported or is known to exist from previous drilling in this area at this depth.

Maximum anticipated bottom hole pressure equals approximately 2,387 psi (calculated at 0.434 psi/foot) and maximum anticipated surface pressure equals approximately 1,177 psi (anticipated bottom hole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. Anticipated Starting Dates and Notification of Operations:

A. Anticipated Starting Dates:

Anticipated Commencement Date: December 1, 1990

Drilling Days : Approximately 14 Days
Completion Days : Approximately 5 days

B. Notification of Operations:

The spud date will be reported orally to the Moab District Office, Bureau of Land Management <u>WITHIN 48</u> <u>HOURS FOLLOWING SPUDDING</u>, unless otherwise required.

8. Anticipated Starting Dates and Notification of Operations:

B. Notification of Operations: Continued

A follow-up report on Form 3160-5 confirming the date of spud will be promptly submitted to the Moab District Office.

All wells, whether drilling, producing, or abandoned shall be identified in accordance with 43 CFR 3162.6. This requires the name of the operator, the lease number, the well number and the location of the well.

In accordance with Onshore Operating Order #1, this well will be reported on MMS Form 3160-6, "Monthly Report of Operations", starting with the month in which operations commence and continuing each month until the well is physically plugged and abandoned. This report will be filed directly with the Royalty Management Program, Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217.

Spills, blowouts, fires, leaks, accidents, theft, or any other unusual occurrences will be promptly reported to the Moab District Office in accordance with NTL-3A.

No well abandonment operations will be commenced without the prior approval of the District Manager or his authorized representative. In the case of newly-drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the District Petroleum Engineer. A "Notice of Intention to Abandon" (Form 3160-5) will be filed with the District Manager within fifteen (15) days following the granting of oral approval to abandon.

Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR 3162.6 The following information will be permanently placed on the marker with a plate, cap, or beaded-on with a welding torch: "Fed" or "Ind", as applicable; Company Name, Well Name and Number, Location by Quarter/Quarter, Section, Township, Range, and Federal or Indian Lease Number.

A "Subsequent Report of Abandonment" (Form 3160-5) will be submitted within thirty (30) days following the actual plugging of the well bore.

8. Anticipated Starting Dates and Notification of Operations:

B. <u>Notification of Operations</u>: Continued

This report will indicate where plugs were placed and the current status of surface restoration operations. If surface restoration has not been completed at that time, a follow-up report on Form 3160-5 will be filed when all surface restoration work has been completed and the location is considered ready for final inspection.


Approval to vent/flare gas during initial well evaluation will be obtained from the Moab District Office. This preliminary approval will not exceed thirty (30) days or fifty (50) MMCF gas. Approval to vent/flare beyond this initial test period will require District Office approval pursuant to the guidelines contained in NTL-4A.

Not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than ninety (90) days, the operator shall notify the Authorized Officer by letter or "Sundry Notice", of the date on which such production has begun or resumed. The notification shall provide as a minimum, the following informational items:

- a. Operator name, address, and telephone number
- b. Well name and number
- c. Well location "1/4, 1/4, Section, Township, Range, P.M."
- d. Date well was placed in a producing status
- e. The nature of the wells production, i.e.: crude oil casing gas, or natural gas and entrained liquid hydrocarbons.
- f. The OCS, Federal or Indian lease prefix and number on which the well is located. Otherwise, the non-Federal or non-Indian land category, ie.: state or private.
- g. As appropriate, the communitization agreement number, the unit agreement name, number and participating area name.

COCKRELL OIL CORPORATION
Lease #UTU-65948, 1210-1204 #1
SE¼NW¼NW¼, Section 12, T12S, R10E
Carbon County, Utah

TYPICAL 2,000 psi WORKING PRESSURE BOP STACK



BOP ACTUATING SYSTEM

- 1) Accumulator capacity will supply 1½ times volume necessary to close all BOP equipment units with a minimum pressure of 203 psi above pre-charge pressure.
- 2) Accumulator back up system, supplied by a secondary power source independent of primary power source, will be provided with sufficient capacity to close all blowout preventers.
- 3) Locking devices will be provided on ram type preventers.
- 4) Primary BOP actuating control will be hydraulic and located either in the dog house or on the rig floor. Back up control will be provided by hand-wheel manual operation of BOP.

CHOKE MANIFOLD

All valves & fittings will be rated at 2000# working pressure.




FIG. 3.A.1
TYPICAL CHOKE MANIFOLD ASSEMBLY

COCKRELL OIL CORPORATION
Lease #UTU-65948, 1210-1204 #1
NW\\\delta\)NW\\delta\, Section 12, T12S, R10E
Carbon County, Utah

Multi-Point Surface Use and Operations Plan

- 1. Existing Roads: Refer to Maps "A" and "B" (shown in ORANGE)
 - A. The proposed well site is staked and two 200-foot reference stakes are present.
 - B. To reach the location from the town of Price, Utah; proceed generally north approximately 9.0 miles on U.S. Highway 191, thence generally northeast approximately 7.1 miles on U.S. Highway 191, thence generally east and south approximately 1.8 miles on an existing Carbon County road (crowned & ditched with a gravel surface), thence generally south approximately 800 feet to the proposed 1210-1204 #1 well location.
 - C. Access roads refer to Maps "A" and "B".
 - D. Access roads within a one- mile radius refer to Map "B".
 - E. The existing roads will be maintained in the same or better condition as existed prior to the commencement of operations and said maintenance will continue until final abandonment and reclamation of the well location.
- 2. Planned Access Roads: Refer to Map "B" (shown in GREEN)

Approximately 800 feet of new road construction will be required for access to the proposed 1210-1204 #1 well location.

- A. Width 16-foot running surface, flat-bladed for drilling and completion operations.
- B. Maximum grade 3%.
- C. Turnouts none anticipated.
- D. Drainage design in the event commercial production is established at the 1210-1204 #1 well location, the access road will be upgraded and maintained as necessary to prevent soil erosion and accommodate year-round traffic. The access road will be crowned and ditched with water turnouts installed as necessary to provide for proper drainage along the access route. Road construction will be performed in accordance with roading guidelines contained in the joint BLM/USFS publication: Surface Operating Standards for Oil and Gas Exploration and Development, Third Edition.
- E. Culverts, cuts and fills no culverts will be required for drilling and completion operations.

2. Planned Access Roads: Continued

- E. Culverts, cuts and fills if commercial production is established at the 1210-1204 #1 well location, water relief culverts (18-inch minimum diameter) will be installed along the access road route as necessary or required to allow for the free flow of water and provide for proper drainage of the access road running surface. Culverts will be installed in accordance with guidelines contained in the joint BLM/USFS publication: Surface Operating Standards for Oil and Gas Exploration and Development, Third Edition. Cuts and/or fills of approximately two (2) feet are anticipated on/along the proposed access road route.
- F. Surfacing material none required for drilling and completion operations. If commercial production is established at the 1210-1204 #1 well location, surfacing materials for the access road will be purchased from a local contractor having a permitted source of materials in the area, if necessary or required by the private surface owner.
- G. Gates, cattleguards or fence cuts no cattleguards will be required along the proposed access road route.
- H. The proposed access road route has been flagged.

3. Location of Existing Wells Within a One-Mile Radius:

- A. Water wells none.
- B. Abandoned wells none.
- C. Temporarily abandoned wells none.
- D Disposal wells none.
- E. Drilling wells $SE_{4}^{\frac{1}{4}}SE_{4}^{\frac{1}{4}}$, Section 11, T12S, R10E. ** $SE_{4}^{\frac{1}{4}}SW_{4}^{\frac{1}{4}}$, Section 11, T12S, R10E. ** $SE_{4}^{\frac{1}{4}}NE_{4}^{\frac{1}{4}}$, Section 14, T12S, R10E. ** $SE_{4}^{\frac{1}{4}}NW_{4}^{\frac{1}{4}}$, Section 14, T12S, R10E. ** $NW_{4}^{\frac{1}{4}}NE_{4}^{\frac{1}{4}}$, Section 14, T12S, R10E. **
- F. Producing wells none.
- G. Shut-in wells none.
- H. Injection wells none.
- I. Monitoring wells none.
- ** These wells have been drilled and are currently waiting on completion tools.

4. Location of Existing and/or Proposed Facilities Owned By Cockrell Oil Corporation Within a One-Mile Radius:

A. Existing

- 1. Tank batteries none.
- Production facilities none.
- Oil gathering lines none.
- 4. Gas gathering lines none.

B. New Facilities Contemplated

- 1. All production facilities will be located on the disturbed portion of the well pad and at a minimum of twenty (20) feet from the toe of the backcut or top of the fill slope.
- 2. Production facilities will require an area approximately 250' X 125'. A diagram showing the proposed production facility layout will be submitted to the Authorized Officer via Sundry Notice (Form 3160-5) for approval prior to installation.
- 3. Production facilities will be accommodated on the well pad. Construction materials needed for installation of the production facilities will be obtained from the site; any additional materials which may be needed will be purchased from a local supplier as required. A dike will be constructed completely around any production facilities containing liquid hydrocarbons or produced fluids (i.e., production tanks, produced water tanks and/or heater/treater). These dikes will be constructed of compacted subsoil, be impervious, hold 1.5 times the capacity of the largest tank, and be independent of the back cut.
- 4. All permanent above-the-ground structures, tank batteries, etc. that will remain longer than six months will be painted Carlsbad Canyon (Munsell standard color 2.5Y 6/2). The exception being that Utah Occupation Health and Safety Act Rules and Regulations will be complied with where special safety colors are required.
- C. The production pit will be fenced sheep-tight with woven wire and two (2) top strands of barbed wire held in place by side posts and wooden corner "H" braces in order to protect livestock and wildlife.

4. Location of Existing and/or Proposed Facilities Owned By Cockrell Oil Corporation Within a One-Mile Radius: Cont.

- D. During drilling and subsequent operations, all equipment and vehicles will be confined to the access road and any additional areas specified in the approved Application for Permit to Drill.
- E. Reclamation of disturbed areas no longer needed for operations will be accomplished by grading, leveling and seeding as recommended by the private surface owner.

5. Location and Type of Water Supply:

- A. Fresh water for drilling will be obtained from Summit Creek at a point located in the SW½NE½ of Section 11, T12S, R10E. In the event this source proves inadequate, additional water will be obtained from Willow Creek at a point located in the NE½SE½ of Section 10, T12S, R10E. Approval of an Application for Permit to Appropriate Surface Water will be obtained from the Utah State Engineer prior to diversion of any water from either Summit or Willow Creek, if required.
- B. Water will be transported over existing roads via tank truck from the point of diversion to the proposed 1210-1204 #1 well location. No new road construction will be required on/along the proposed water haul route. No off-lease federal lands will be crossed on/along the proposed water haul route.
- C. No water well will be drilled on this location.

6. Source of Construction Materials:

- A. No construction materials will be needed for well pad construction; surface and subsurface soils will be sufficient. Refer to Item #2F regarding construction materials which may be required on the access road.
- B. No construction materials will be taken from Federal and/or Indian lands without prior approval from the appropriate Surface Management Agency.
- C. If production is established, any construction materials required for surfacing of the access road and installation of production facilities will be purchased from a local supplier having an approved (permitted) source of materials in the area.
- D. No new access roads for construction materials will be required.

7. Methods of Handling Waste Materials:

A. Cuttings - the cuttings will be deposited in the reserve pit.

B. Drilling fluids - including salts and chemicals will be contained in the reserve pit and allowed to evaporate. The reserve pit will be designed to prevent the collection of surface runoff and will be constructed with a minimum of one-half (1/2) the total depth below the original ground level at the lowest point in the pit.

- C. Produced fluids hydrocarbons produced during completion operations will be placed in test tanks on the location. Water produced during completion operations will be put into the reserve pit according to the provisions of Onshore Operating Order #7 (formerly NTL-2B). Any spills of potentially hazardous materials will be cleaned up and immediately removed to an approved waste disposal site.
- D. Sewage portable, self-contained chemical toilets will be provided for human waste disposal. The toilet holding tanks will be pumped as necessary, and the contents thereof disposed of at an approved sewage disposal facility.
- E. Garbage and other waste material garbage, trash and other waste materials will be collected in a portable, self-contained and fully-enclosed trash cage during drilling and completion operations. Upon completion of operations (or as needed) the accumulated trash will be disposed of at an authorized sanitary landfill. No trash will be placed in the reserve pit.
- F. Immediately after removal of the drilling rig, all debris and waste materials not contained in the trash cage will be cleaned up and removed from the well location. No adverse materials will be left on the location. Any open pits will be fenced during drilling operations and the fencing will be maintained until such time as the pits are backfilled.

8. Ancillary Facilities:

None anticipated.

9. <u>Wellsite Layout</u>:

A. Figure #1 shows the drill site layout as staked. Cross sections have been drafted to visualize the planned cuts and fills across the location.

9. Wellsite Layout: Continued

A. A minimum of six (6) inches of topsoil will be stripped from the location (including areas of cut, fill, and/or subsoil storage) and stockpiled for future reclamation of the well site. Refer to Figure #1 for the location of the topsoil stockpiles.

B. Figure #1 is a diagram showing the rig layout. No permanent living facilities are planned. There will be four trailers on location: one each for the drilling engineer, geologist, mud logger, and toolpusher.

C. A diagram showing the proposed production facility layout will be submitted to the Authorized Officer via Sundry Notice (Form 3160-5) for approval prior to the commencement of installation operations (Refer to Item #4B for additional information in this regard).

D. We do not anticipate the need for a reserve pit liner at this time. However, if porous subsoil materials (i.e., gravel, sand, fractured rock structures, etc.) are encountered during the course of reserve pit construction, an impervious liner will be installed in order to prevent drilling water loss through seepage.

10. Plans for Reclamation of the Surface:

- A. Backfilling, leveling and re-contouring are planned as soon as the reserve pit has dried. All waste materials will be disposed of immediately upon termination of drilling and completion activities. If production is established, the unneeded areas of the location will be reclaimed as soon as the reserve pit has dried. For production, the fill slopes will be reduced from a 1.5:1 slope to a 3:1 slope and the cut slopes will be reduced from a 2:1 slope to a 3:1 slope by pushing the fill material back up into the cut.
- B. Upon completion of backfilling, leveling and recontouring, all disturbed surfaces (including the access road and well pad areas) will be scarified (ripped) and the stockpiled topsoil will be evenly spread over the reclaimed area(s). The seedbed will be prepared by disking on the contour to an approximate depth of four (4) to six (6) inches, leaving no depressions that would trap water or form ponds.
- C. All disturbed surfaces (including the access road and well pad areas) will be reseeded using a seed mixture to be recommended by the private surface owner.

10. Plans for Reclamation of the Surface: Continued

- C. Seed will be drilled on the contour (or at right angles to the prevailing wind on level areas) with the seed drill set at a depth of one-half (1/2) inch. Fall seeding will be completed after September 1 and prior to ground frost. Spring seeding, to be effective, will be completed after the frost has left the ground and prior to June 1.
- D. Three sides of the reserve pit will be fenced during drilling operations and the fourth side will be fenced immediately upon rig removal. Said fencing will consist of woven wire with two (2) top strands of barbed wire held in place with side posts and wooden corner "H" braces in order to protect livestock and wildlife.
- E. If any oil is on the pits and is not immediately removed after operations cease, the pit containing the oil or other adverse substance(s) will be flagged overhead or covered with wire mesh.
- F. Reclamation operations will begin after the drilling rig has been removed. Removal of oil or other adverse substances will begin immediately or the affected area(s) will be flagged and/or fenced. Other clean-up will be done as needed. Re-seeding activities are considered best in the Fall, 1991, unless requested otherwise.

11. Surface Ownership:

The proposed access road and well location are situated on private surface estate owned by:

Mrs. Mona Marsling c/o Mr. C.D. Butcher (son-in-law) Route 1, Box 184A Price, Utah 84501 Phone: (801) 637-3033

I hereby certify that Cockrell Oil Corporation will enter into "good faith" negotiations with Mr. C.D. Butcher on behalf of Mrs. Mona Marsling in an attempt to reach an equitable agreement as to the private surface owners requirements for the protection of surface resources and reclamation of disturbed areas and/or damages in lieu thereof.

11. Surface Ownership: Continued

In the event an equitable agreement can not be reached with Mr. Butcher on behalf of Mrs. Marsling, Cockrell Oil Corporation will comply with the provisions of the law or regulations governing the Federal or Indian right of reentry to the surface (43 CFR 3814).

16 October 1990
Date

Robert M. Anderson Authorized Agent

12. Other Information:

A. General Description of the Project Area: The project area is situated in east central Utah in an area locally known as Emma Park. This area is classified as a "high plains steppe" (cold desert) and is bounded by the Roan Cliffs to the north, the Book Cliffs to the south, Price Canyon to the west, and the Badland Cliffs to the northeast.

The well location is situated in the uplands directly north of Summit Creek, east of Willow Creek, west of Antoine Creek, and north of Deep Canyon. This area is generally characterized by moderately to severely undulating upland areas which are dissected by numerous, dendritically-patterned ephemeral drainages of Willow Creek and the Price River. This area exhibits a sparse to moderate vegetation density which is typical of semi-arid areas at elevations above 7,000 feet. Local flora consists of western wheatgrass, mountain brome, prairie junegrass, threadleaf sedge, prickly pear cactus, sagebrush, rabbitbrush, snakeweed, and serviceberry at the lower elevations with oakbrush, mountain mahogany, aspen, juniper, fir and pine trees at the higher elevations and on protected slopes. Local fauna consists of elk, mule deer, antelope, coyotes, rabbits, raptors, and various smaller vertebrate and invertebrate species.

There are no known threatened or endangered species (currently listed) that would be potentially impacted by construction, drilling and/or production operations on the proposed 1210-1204 #1 well location.

1, ,

12. Other Information: Continued

- B. Surface Use Activities: The primary surface use is for grazing.
- C. Proximity of Water, Occupied Dwellings, Archaeological, Historical or Cultural Sites:
 - 1. The closest source of permanent water is Willow Creek, located approximately two (2) miles to the west.
 - 2. The closest occupied dwellings are located in the town of Helper, located approximately 10 miles to the southwest.
 - There are no known archaeological, historical or cultural sites that will be disturbed by this proposed drilling operation.

Cockrell Oil Corporation will be responsible for informing all persons associated with this project that they shall be subject to prosecution for damaging, altering, excavating or removing any archaeological, historical, or vertebrate fossil objects or site. If archaeological, historical, or vertebrate fossil materials are discovered, Cockrell Oil Corporation will suspend all operations that further disturb such materials and immediately contact the Authorized Officer, Bureau of Land Management. Operations will not resume until written authorization to proceed is issued by the Area Manager, Price Resource Area Office, Bureau of Land Management, Price, Utah.

Within five (5) working days, the Authorized Officer will evaluate the discovery and inform Cockrell Oil Corporation of actions that will be necessary to prevent loss of significant cultural or scientific values.

Cockrell Oil Corporation will be responsible for the cost of any mitigation required by the Authorized Officer. The Authorized Officer will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the Authorized Officer that the required mitigation has been completed, Cockrell Oil Corporation will be allowed to resume operations.

13. Lessee's or Operator's Representative and Certification:

Representative

Cockrell Oil Corporation
Feldor Hollenshead, Vice President/Drilling & Production
1600 Smith, Suite 4600
Houston, Texas 77002-7348
Phone: (713) 651-1271

Heitzman Drill-Site Services*
Dale Heitzman and/or Robert M. Anderson
P.O. Drawer 3579
Casper, Wyoming 82602
Phone: (307) 266-4840

* Contact for any additional information which may be required for approval of this Application for Permit to Drill.

Certification

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

Cockrell Oil Corporation will be fully responsible for the actions of their subcontractors. A copy of these conditions will be furnished to the field representative(s) to ensure compliance.

The dirt contractor will be provided with a copy of the Surface Use Plan from the approved Application for Permit to Drill.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access road route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Cockrell Oil Corporation, their contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

13. Lessee's or Operator's Representative and Certification:

Certification - Continued

This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

16 October 1990
Date

Robert M. Anderson/Authorized Agent

| OPERATOR COCKULL OL COLD N-1035 DATE 10-31-90 |
|---|
| WELL NAME 1010-1004 # 1 |
| SEC NUMB T 105 R IDE COUNTY COLLON |
| 43.007.30105 API NUMBER TYPE OF LEASE |
| CHECK OFF: |
| PLAT BOND NEAREST WELL |
| LEASE FIELD POTASH OR OTL SHALE |
| PROCESSING COMMENTS: |
| Noce 10.31-90 Exaption Placation |
| APPROVAL LETTER: SPACING: R615-2-3 NA R515-3-2 |
| CAUSE NO. & DATE R615-3-3 |
| STIPULATIONS: |
| 1- Auch water primet |
| |
| |
| |



NOV 0.5 1990

1 000 SMITH • SUITE 4600 • HOUSTON, TEXAS 77002-7348

November 1, 1990

Ms. Tammy Searing
State of Utah
Department of Natural Resources
Oil, Gas & Mining
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Re: APD's 1210-1204 No. 1 Sec. 12 125, 10E

1210-2404 No. 1 1210-1304 No. 1

1210-1304 No. 1

Dear Tammy:

As discussed in our telephone conversation today, the above referenced wells are not in compliance with statewide spacing rules as they are less than 460 feet from the 40 acre boundaries. We have located them as shown in order to be close to a 160-acre spacing grid. We feel that subsequent drilling may indicate 320 acre or possibly 160 acre spacing may be optimum. If so, these wells would be within the pattern.

Cockrell Oil Corporation has under lease all the adjacent effected locations. Cockrell Oil Corporation has under lease all of sections 12, 13 and 23, and all of section 24, except the SESE $\frac{1}{4}$. Cockrell Oil Corporation has approximately 15,000 acres under lease in the immediate area.

I, therefore, request that the above referenced APD locations be approved as exceptions because of the probable advantages for efficient development.

If you have any questions or need any additional information, please call me. Thank you for your consideration.

Very truly yours,

B. E. Weichman

Geologist

BEW:ys



Dee C. Hansen
Executive Director
Dianne R. Nielson, Ph.D.
Division Director
Division Director
Division Director

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538 5340

November 21, 1990

Cockrell Oil Corporation 1600 Smith Street, Suite 4600 Houston, Texas 7702-7348

Gentlemen:

Re: 1210-1204 #1 - NW NW Sec. 12, T. 12S, R. 10E - Carbon County, Utah 1140' FNL, 1171' FWL

Approval to drill the referenced well is hereby granted in accordance with Rule R6I5-3-3, Oil and Gas Conservation General Rules.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification within 24 hours after drilling operations commence.
- 2. Submittal of an Entity Action Form within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.
- 3. Submittal of the Report of Water Encountered During Drilling, Form 7.
- 4. Prompt notification if it is necessary to plug and abandon the well. Notify R. J. Firth, Associate Director, (Office) (80l) 538-5340, (Home) 571-6068, or Jim Thompson, Lead Inspector, (Home) 298-9318.
- 5. Compliance with the requirements of Rule R6l5-3-20, Gas Flaring or Venting, Oil and Gas Conservation General Rules.

Page 2 Cockrell Oil Corporation 1210-1204 #1 November 21, 1990

- 6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of General Sanitation, telephone (801) 538-6121.
- 7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-007-30125.

Sincerely,

Associate Director, Oil & Gas

tas

Enclosures

cc: Bureau of Land Management

J. L. Thompson

we14/1-12

Form 3169-3 (November 1983) (formerly 9-331C)

UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN THE CATE*
(Other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

| | DEPARTMENT | OF THE I | NTFR | IOR | | |
|--|-----------------------------|-------------------|----------|---|---------------------------------|--------------------------------------|
| | | | | _ | | 5. LEASE DESIGNATION AND BERIAL NO. |
| | BUREAU OF | LAND MANAG | EWEN. | <u> </u> | | UTU-65948 |
| APPLICATIO | N FOR PERMIT T | O DRILL D |)FFAT | NEOR BLUG F | RACK | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME |
| la. TYPE OF WORK | | <u> </u> | 737 | | | Not Applicable |
| | RILL [X] | DEEPEN [| 7/213 | PLUG BA | dearth | 7. UNIT AGREEMENT NAME |
| b. TTPE OF WELL | | DCD: 4.1 | _477 | | 13.77 H | Not Applicable |
| OIL | WELL X OTHER | | SIN | EL JAN 28 1997 | LE X | 8. FARM OR LEASE NAME |
| 2. NAME OF OPERATOR | | | | | | 1210-1204 |
| Cockrell Of | il Corporation | | | DIVISION OF | | 9. WELL NO. |
| 3. ADDRESS OF OPERATOR | | | | DIL. GAS & MINING Kas 77002-734 ate requirements.*) | | 1 |
| 1600 Smith | Street, Suite 46 | 00. Houston | n. Tex | kas 77002-734 | 8 | 10. PIELD AND POOL, OR WILDCAT |
| 4. LOCATION OF WELL (| Report location clearly and | in accordance wit | h any St | ate requirements.*) | | Wildcat |
| | 1171' FWL (SEANW | 4NW4) 12-1: | | | | 11. SEC., T., R., M., OR BLK. |
| At proposed prod. 20 | • | · • | | | . 0 | AND SURVEY OR AREA |
| Same As Abo | | 4 | 3-A | 07-30125 | an- | Section 12, T12S, R10E |
| | AND DIRECTION FROM NEAR | EST TOWN OR POST | OFFICE | 0 / 20 / 40 | | 12. COUNTY OR PARISH 13. STATE |
| Approximate | ely Ten (10) Mile | s Northeas | t of l | Helner Utah | | Carbon Utah |
| 15. DISTANCE FROM PRO | POSED* | is not theas | 16. NO. | OF ACRES IN LEASE | 17. No. 0 | OF ACRES ASSIGNED |
| LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. | | | | | TO T | HIS WELL |
| (Also to nearest drig. unit line, if any) 11401 13. DISTANCE FROM PROPOSED LOCATION* 19. | | | | 473.31 | 40 20. ROTARY OR CABLE TOOLS | |
| TO NEAREST WELL, DRILLING, COMPLETED, | | | 1 | | ZU. KUTA | |
| OR APPLIED FOR, ON THIS LEASE, FT. N/A 55001 | | | 500' | Rotary | | |
| 21. ELEVATIONS (Show w | hether DF, RT, GR, etc.) | | | | | 22. APPROX. DATE WORK WILL START* |
| 7281' GR | | | | | | December 1, 1990 |
| 23. | | PROPOSED CASII | NG AND | CEMENTING PROGRA | М | |
| SIZE OF HOLE | SIZE OF CASING | WEIGHT PER FO | от | SETTING DEPTH | | QUANTITY OF CEMENT |
| 12-1/4" | 8-5/8" WC-50 | 23.0# | | 0- 500' | 385 | sx Circulated to Surface |
| 7-7/8" | 5-1/2" WC-50 | 17.0# | | 0-5500' | | sx Cement |


| A ABOVE SPACE DESCRIBE PROFOSED PROGRAM: If proposal one. If proposal is to drill or deepen directionally, give reventer program, if May. | | |
|---|----------------------------|---------------|
| SIGNED FOLDON HOT LONG HOT | Vice-President | DATE 10/15/90 |
| (This space for Federal or State office use) | 1.50 | |
| PERMIT NO. | APPROVAL DATE | |
| APPROVED BY /S/ WILLIAM C. STRINGER | Assistant District Manager | JAN 2 2 1991 |
| CONDITIONS OF APPROVAL, IF ANY: | FOR SPECIFICATION | |

FLARING OR VENTING OF GAS IS SUBJECT TO NTL 4-A Poted 1/1/80 CONDITIONS OF APPROVAL ATTACHED

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

T12S, R10E, S.L.B.&M.



SECTION CORNERS LOCATED. (Bross Caps)

1629.61' FROM THE NORTHWEST CORNER OF SECTION 12.

COCKRELL OIL CORP.

Well location 1210-1204 No. 1, located as Shown in the NW 1/4 NW 1/4 of Section 12. T12S, R10E, S.L.B.&M. Carbon County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT A RIDGE TOP IN THE SW 1/4 NE 1/4 OF SECTION 11, T12S, R10E, S.L.B.&M. TAKEN FROM THE MATTS SUMMIT QUADRANGLE, UTAH, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP). PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 7282 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

> REGISTERED LAND SURVEYOR REGISTRATION NO. 5709

REVISED: 10-15-90

STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING P. O. BOX 1758 - 85 SOUTH - 200 EAST VERNAL, UTAH - 84078

| SCALE 1" = 1000' | DATE 8-20-90 | | |
|-------------------------------|-----------------|---------------------------|--|
| PARTY R.L.K. L.D.T. J.T.K. | T.D.H. | REFERÊNCES G.L.O. PLAT | |
| WEATHER | | FILE | |
| WARM | | COCKRELL OIL CORP. | |

Cockrell Oil Corporation
Well No. 1210-1204 #1
NWNW Sec. 12, T. 12 S., R. 10 E.
Carbon County, Utah
Lease U-65948

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be advised that Cockrell Oil Corporation is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by UT0794 (Principal - Cockrell Corporation) via surety consent as provided for in 43 CFR 3104.3.

This office will hold the aforementioned operator and bond liable until the provisions of 43 CFR 3106.7-2 continuing responsibility are met.

A. DRILLING PROGRAM

All lease operations will be conducted in full compliance with applicable regulations (43 CFR 3100), Onshore Oil and Order No. 1 and Onshore Oil and Gas Order No. 2 and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions and the approved plan will be made available to the field representative to insure compliance.

Surface casing shall have a centralizer on each of the bottom three joints.

Daily drilling and completion progress reports shall be submitted to the District Office on a weekly basis.

Required verbal notifications are summarized in Table 1, attached. Written notification in the form of a Sundry Notice (Form 3160-5) will be submitted to the District Office within twenty-four (24) hours after spudding. If the spudding occurs on a weekend or holiday, the written report will be submitted on the following regular work day.

A first production conference will be scheduled within fifteen (15) days after receipt of the first production report. The Resource Area Office will coordinate the field conference.

C. SURFACE USE PLAN

- All site security guidelines identified in 43 CFR 3162.7-5 and ONSHORE OIL AND GAS ORDER NO.3; SITE SECURITY will be adhered to.
- 2. Gas measurement will be conducted in accordance with the <u>ONSHORE ORDER NO. 5</u>; GAS MEASUREMENT and 43 CFR 3162.7-3.
- 3. Oil measurement will be conducted in accordance with ONSHORE OIL AND GAS ORDER NO. 4; OIL MEASUREMENT as of the effective date of August 23, 1989 and 43 CFR 3162.7-2.
- 4. All loading lines and valves will be placed inside the berm surrounding the tank battery.
- 5. All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the Assistant District Manager.
- 6. Pipeline construction activity is not authorized under this permit.
- 7. Produced waste water will be confined to a unlined pit for a period not to exceed ninety (90) days after initial production. During the ninety (90) day period, an application for approval of a permanent disposal method and location, along with the required water analysis, will be submitted for the Assistant District Manager's approval pursuant to Onshore Oil and Gas Order No. 3 (NTL-2B).
- 8. There will be no deviation from the proposed drilling and/or workover program without prior approval from the Assistant District Manager. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned, will be identified in accordance with 43 CFR 3162.6.
- "Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.
- 10. The dirt contractor will be provided with an approved copy of the surface use plan of operations.
- 11. This permit will be valid for a period of one (1) year from, the date of approval. After permit termination, a new application will be filed for approval for any future operations.

Division of Oil gas a reving

NOTIFICATIONS

Notify Mike Kaminski of the Price River Resource Area, at (801) 637-4584 for the following:

2 days prior to commencement of dirt work, construction or reclamation;

1 day prior to spudding;

50 feet prior to reaching surface casing depth;

3 hours prior to testing BOP's and surface casing.

If the person at the above number cannot be reached, then notify Fred Oneyear in the Moab District Office at (801) 259-6111 or at home (801) 259-5937 (If unsuccessful, then notify one of the following people listed below).

Notify the Moab District Office, Branch of Fluid Minerals at (801) 259-6111 for the following:

No well abandonment operations will be commenced without the prior approval of the Assistant District Manager, Minerals Division. In the case of newly drilled dry holes, and in emergency situations, verbal approval can be obtained by calling the following individuals, in the order listed.

Dale Manchester, Petroleum Engineer Office Phone: (801) 259-6111

Home Phone: (801) 259-6239

Eric Jones, Petroleum Engineer Office Phone: (801) 259-6111

Home Phone: (801) 259-2214

If unable to reach the above individuals including weekends, holidays, or after hours please call the following:

Lynn Jackson, Office Phone: (801) 259-6111 Chief, Branch of Fluid Minerals

Home Phone: (801) 259-7990

24 HOURS ADVANCE NOTICE IS REQUIRED FOR ALL ABANDONMENTS

NOV 1 3 1991 OCT 28 1991 NOV 1 3 1991 OCT 28 1991 OCT 28 1991 NOV 1 3 1991 OCT 28 1991

DIVISION OF PPLICATION TO APPROPRIATE WATER RIGHT Migrofilmed _______

For the purpose of acquiring the right to use a portion of the unappropriated water of the State of Utah, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements to Title 73, Chapter 3 of the Utah Code Annotated (1953, as amended).

| VAT | TER RIGHT NO. 91 – 4819 | *APPL | ICATION NO. | A T65 | 703 |
|-----|--|---|------------------|------------------|--------------|
| | *PRIORITY OF RIGHT: October 21, 199 | <u>1</u> *FII | LING DATE:_ | October | 21, 1991 |
| | OWNER INFORMATION Name(s): Cockrell Oil Corporation Address: 1600 Smith Suite 4600 City: Houston | | | | % 7002 |
| | Is the land owned by the applicant? Yes No_ | <u>X</u> (If "No", ple | ase explain in E | XPLANATOF | RY section.) |
| • | QUANTITY OF WATER: Existing Underground SOURCE: Exploratory Wells which is tributary to | cfs and/or *DRAINA | 3.0 GE: | | ac-ft. |
| | which is tributary to | COUNT | Y: Carb | on | |
| | Description of Diverting Works: 5½ inch casin *COMMON DESCRIPTION: 10 miles NE composition *Point(s) of Rediversion | ng, 4425 ft. to of Helper | 4667 ft. de M | <u>atts Summ</u> | |
| • | *COMMON DESCRIPTION: 10 miles NE of POINT(S) OF REDIVERSION The water will be rediverted from N. 550 ft. & E. 1950 ft. from SW Common SW | of Helper or. Sec. 11, T12 | S, R10E, SL | atts Summ | at a point |
| • | *COMMON DESCRIPTION: 10 miles NE of POINT(S) OF REDIVERSION | of Helper or. Sec. 11, T12 | S, R10E, SL | atts Summ | at a point: |
| • | *COMMON DESCRIPTION: 10 miles NE of POINT(S) OF REDIVERSION The water will be rediverted from N. 550 ft. & E. 1950 ft. from SW Common SW | of Helper or. Sec. 11, T12 o to tank truck cfs o | S, R10E, SL. | atts Summ | at a point |
| • | *COMMON DESCRIPTION: 10 miles NE of POINT(S) OF REDIVERSION The water will be rediverted from | of Helper or. Sec. 11, T12 o to tank truck cfs of ce at a point(s): Storage Period: 1 c-ft. Inundated Area: | S, R10E, SL | atts Summ | at a point |

^{*} These items are to be completed by the Division of Water Rights

| | 8. | List any other water rights which will supplement | this application | |
|---|-----|---|---|---------------------------------------|
| | | NATURE AND PERIOD OF USE | and approactor | · · · · · · · · · · · · · · · · · · · |
| | 9. | | Finance to | |
| | | Irrigation: Stockwatering: | From to | |
| | | Domestic: | Fromto | |
| | | Municipal: | Fromto | · · |
| | | Mining: | From to | |
| | | Power: | From to | |
| | | Other: | From Oct. 5, 1991 to May 31, 1992 | |
| | | | | |
| | 10 | PURPOSE AND EXTENT OF USE | | |
| | IV. | | eres. Sole supply of | acres. |
| 4 | | Stockwatering (number and kind): | ics. Sole supply of | uu |
| | | Domestic: | Families and/or | Persons. |
| | | Municipal (name): | | |
| | | Mining: Mi | ning District in the | Mine. |
| | | Ores mined: | | |
| * | | Power: Plant name: | Type: Capacity: | |
| | | Other (describe): Drilling of coalbed m | ethane wells and a water disposal well, | |
| | | Road Construction and | Maintenance. | |
| | 11. | PLACE OF USE | | |
| | | | s): See Attachment #2 | |
| | | | • | |
| | | , | | |
| | | | | |
| | | | | |
| | | | | • |
| | 12. | EXPLANATORY | | |
| | | | he full purpose of this application. (Use additional pages | of the same |
| | | size if necessary): | | |
| | | Cockrell intends to drill the well | s mentioned in Attachment #2 and reques | ts permission |
| | | to use the water produced from the | 5 Shimmin Trust Wells for this purpose | . The water |
| | | is produced with methane gas from | | |
| | . ' | | | <u>krell has</u> |
| | | leased the right for this operation | | |
| | | Supplemental with Temporary Change | Application #t91-91-09. | , . |
| | | | | |
| | *** | ************* | ********************** | **** |
| | | The applicant(s) hereby acknowledges that he/she | they are a citizen(s) of the United States of America or int | ends to become |
| | | | be appropriated is limited to that which can be beneficially to | |
| | | | acknowledges that even though he/she/they may have been | |
| | | | hrough the courtesy of the employees of the Division of W | |
| | | • • | contained herein, at the time of filing, rests with the appli | |
| | | | the Comment | |
| | | | (STEWNING) | |
| | | | Signature of Application B. E. Weichman, Special | Projects Manage |
| | | *If applicant is a corporation or oth | er organization, signature must be the name of such corpor | |
| | | organization by its authorized agent, or in the nar | | |
| | | | | |
| | | | A | ance print) |
| | | | Authorized Agent (pl | case print) |
| | | | * * * * * * * * * * * * * * * * * * * | |
| | | | Authorized Agent (signal | gnature) |
| | | | | |

AEVELOUSES.

Attachment to

APPLICATION TO APPROPRIATE WATER

Owner:

Cockrell Oil Corporation 1600 Smith - Suite 4600 Houston, Texas 77002-7348 Phone: (713) 651-1271

Item #4

- 1. Shimmin Trust #1 located 793 feet from the south line and 780 feet from the east line of Sec. 11, T12S, R10E. Drilled to a depth of 4,667 feet with 5-1/2" casing set to total depth.
- 2. Shimmin Trust #2 located 1980 feet from the north line and 800 feet from the east line of Sec. 14, T12S, R10E. Drilled to a depth of 4,650 feet with 5-1/2" casing set to total depth.
- 3. Shimmin Trust #3 located 1980 feet from the north line and 1780 feet from the west line of Sec. 14, T12S, R10E. Drilled to a depth of 4,425 feet with 5-1/2" casing set to total depth.
- 4. Shimmin Trust #4 located 540 feet from the south line and 1900 feet from the west line of Sec. 11, T12S, R10E. Drilled to a depth of 4,631 feet with 5-1/2" casing set to total depth.
- 5. Shimmin Trust #5 located 660 feet from the north line and 2340 feet from the east line of Sec. 14, T12S, R10E. Drilled to a depth of 4,485 feet with 5-1/2" casing set to total depth.

Item #7

Water will be in temporary storage in pits at each well location as shown on the attached plat. Pits have been approved by the Oil and Gas Conservation Commission and vary in size with average size being 1,160 barrels or 48,720 gallons.

Date:

October 1, 1991

Cockrell Oil Corporation

Attachment #2

Temporary Change Application Number t91-91-09 Cockrell Oil Corporation October 8, 1991

Proposed Well Locations All locations in T12S, R10E, SLB&M:

- 1) 1210-0801: S. 415 ft. & W. 288 ft. from NE Cor. Sec. 8 (NE4NE4) 43-007-30147
- 2) 1210-0806: S. 2400 ft. & E. 1769 ft. from NW Cor. Sec. 8 (SE4NW4) 13 127-301/
- 3) 1210-0708: S. 2000 ft. & W. 600 ft. from NE Cor. Sec. 7 (SE4NE4) 43・カラ/- ラカ13*
- 4) 1210-0907: S. 2000 ft. & W. 2050 ft. from NE Cor. Sec. 9 (SW4NE4) 43-607-3157
- 5) 1210-0313: N. 750 ft. & E. 650 ft. from SW Cor. Sec. 3 (SW4SW4) 43-001-30-30
- 6) 1210-1204: S. 1100 ft. & E. 1200 ft. from NW Cor. Sec. 12 (NW4NW4) 43-607-36125
- 7) 1210-1304: S. 1150 ft. & E. 1200 ft. from NW Cor. Sec. 13 (NW4NW4) 43-007-30109
- 8) 1210-1504: S. 700 ft. & E. 500 ft. from NW Cor. Sec. 15 (NW4NW4) 4つ 007・30138
- 9) 1210-1609: N. 2000 ft. & W. 775 ft. from SE Cor. Sec. 16 (NE4SE4) 43 007-355
- 10) 1210-1602: S. 700 ft. & W. 1900 ft. from NE Cor. Sec. 16 (NW4NE4) 43-007-30150
- 11) 1210-2302: S. 800 ft. & W. 1800 ft. from NE Cor. Sec. 23 (NW4NE4)
- 12) 1210-2310: N. 2000 ft. & W. 1950 ft. from SE Cor. Sec. 23 (NW4SE4) 43-007-3016
- 13) 1210-2404: S. 1150 ft. & E. 1200 ft. from NW Cor. Sec. 24 (NW4NW4) は3-307-301分
- 14) 1210-2412: N. 2100 ft. & E. 475 ft. from SW Cor. Sec. 24 (NW4SW4) 43-007-501-5

STATE ENGINEER'S ENDORSEMENT

WATER RIGHT NUMBER: 91 - 4819

APPLICATION NO. T65703

1. October 21, 1991

Application received by JD.

2. October 23, 1991

Application designated for APPROVAL by MP and KLJ.

3. Comments:

Conditions:

This application is hereby APPROVED, dated November 8, 1991, subject to prior rights and this application will expire on November 8, 1992.

Robert L. Morgan, P.E.

State Engineer



FELDOR HOLLENSHEAD Vice President Orilling and Production 1600 SMITH, SUITE 4600, HOUSTON, TEXAS 77002-7348 TELEPHONE 713/750-9311

November 21, 1991

Mr. Ron Firth, Director Oil & Gas Division of Oil Gas and Mining Dept. of Natural Resources 3 Triad Center, Suite 350 Salt Lake City, Utah 94180-1203

Dear Ron:

Enclosed please find our applications to extend the permit to drill on five proposed wells which I believe are scheduled to expire on 11-21-91. Your office was very prompt when originally approving these APD's; however, the BLM required an EA to be completed before other wells in the program were approved. Now that the EA has been completed, we hope to drill these locations in 1992.

Sincerely yours,

Ben Weichman

Special Projects Manager

BW:aa

NOV OF 1601

NOV 2 5 1991

DIVISION OF OIL GAS & MINING

DEF מח

| PARTMET OF UTAH PARTMET OF NATURAL RESOURCES VISION OF OIL, GAS AND MINING | 1 | 6. Lease Design |
|--|---|-----------------|
| VISION OF OIL, GAS AND MINING | | UTU- |

| DEI ATTME OF NATURAL RESOURCE | | 6. Lease Designation and Serial Number |
|--|---|--|
| DIVISION OF OIL, GAS AND MININ | 1G | UTU-65948 |
| | | 7. Indian Allottee or Tribe Name |
| SUNDRY NOTICES AND REPORTS Of Do not use this form for proposals to drill new wells, deepen existing wells, or to recommend to the supplier of the supplier. | N WELLS | N/A |
| Use APPLICATION FOR PERMIT—for such propo | wite progged and abandoned wells. | 8. Unit or Communitization Agreement |
| 1. Type of Well | | N/A |
| Oil Gas Other (specify) | | 9. Well Name and Number |
| 2. Name of Operator | | 1210-1204 No. 1 |
| Cockrell Oil Corporation | | 10. API Well Number |
| 3. Address of Operator 73/19 | 4. Telephone Number | 43-007-30125 |
| 1600 Smith, Suite 4600, Houston, Texas 7700 | | 11. Field and Pool, or Wildcat |
| 1140' FNL, 1171' FWL (SE NV | V NW) | Wildcat |
| Sec. 12, T12S, R10E | County | Carbon |
| QQ, Sec, T., R., M. : | | |
| 12. CHECK APPROPRIATE BOXES TO INDICATE NA | VIUREOENO ROESERO | :1000):20:10:10:10:10:10:10:10:10:10:10:10:10:10 |
| NOTICE OF INTENT (Submit in Duplicate) | SUBSEC | DUENT REPORT |
| | (Submit C | Priginal Form Only) |
| The construction | Abandonment * | New Construction |
| Casing Repair Pull or Alter Casing Recompletion | Casing Repair | Pull or Alter Casing |
| Conversion to Injection Shoot or Acidize | Change of Plans | Shoot or Acidize |
| Fracture Treat Vent or Flare | Conversion to Injection | |
| ☐ Multiple Completion ☐ Water Shut-Off | ☐ Fracture Treat ☐ Other | ☐ Water Shut-Off |
| Other Application for Extension | Other | |
| Approximate Date Work Will Start | Date of Work Completion | |
| | Report results of Multiple Completion ON RECO | ons and Recompletions to different reservoirs |
| | Must be accompanied by a ceme | ent verification report |
| 13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all perting locations and measured and true vertical depths for all markers and zones perting the control of t | | If well is directionally drilled, give subsurface |
| This APD and four others submitted by | Cookeall Oil C | |
| This APD and four others submitted by Division of Oil Gas and Mining on 11-21-was withheld by the U.S. Burgay of Law | | |
| The middle by the O.S. Billean of Ian | a Managamant cotil | F |
| | | |
| The state of the s | ar extension of the ar | program for drilling |
| this location. | | Spireation to drill |
| and the second of the second o | e en | and the second s |
| | | |
| APPROV | ZED BY THE STATE | RECEIVED |
| OF UT | AH DIVISION OF | |
| OIL, G | AS, AND MINING | NOV 2 5 1991 |
| DATE: | 11-27-96 | 1/// |
| ВУ: | TOY) allhour | DIVISION OF |
| | | OIL GAS & MINING |
| 14. I hereby certify that the foregoing is true and correct | · | IAIDADAG |
| | | |
| Name & Signature | | |

(State Use Only)

Title

Date

Moab District P.O. Box 970 Moab, Utah 84532

FEB 1 2 1992

Cockrell Oil Corporation 1600 Smith Street, Suite 4600 Houston, Texas 77002

Re: Application for Permit to Drill

43_007-30125

Well No. 1210-1204 #1

NWNW Sec. 12, T. 12 S., R. 10 E.

Lease U-65948

Gentlemen:

We have received your sundry notice requesting an extension to the Application for Permit to Drill (APD), dated January 22, 1991, for the above referenced well.

Onshore Oil and Gas Order 1, 43 CFR 3160 provides for a one time 90-day drilling extension. However, because the nature of the delay in drilling this well is due to circumstances beyond your control, you are hereby granted a 180-day extension to July 22, 1992.

If circumstances are such that you are unable to drill within this timeframe, please contact the Branch of Fluid Minerals at (801) 259-6111 prior to July 22, 1992.

Sincerely yours,

/S/ WILLIAM C. STRINGER


Assistant District Manager Mineral Resources

Enclosure: Sundry Notice

cc: Price River Resource Area (w/encl.)

State of Utah Division of Oil, Gas and Mining (w/encl.)

MRamstetter:mr:2/12/92



DIVISION OF OIL GAS & MINING

Form 3160-5 (December 1989)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: September 30, 1990

| BUREAU OF LAND MANAGEMENT | 5. Lease Designation and Serial No. |
|--|---|
| SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals | _ |
| SUBMIT IN TRIPLICATE | 7. If Unit or CA, Agreement Designation N/A |
| 1. Type of Well Oil Gas Well Other 2. Name of Operator | 8. Well Name and No. 1210-1204 #1 |
| COCKRELL OIL CORPORATION | 9. API Well No. |
| 3. Address and Telephone No. 1600 SMITH, SUITE 4600, HOUSTON, TX 77002 | 10. Field and Pool, or Exploratory Area WILDCAT |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1140' FNL, 1171' FWL (SE NW NW) SEC. 12 T12S R10E | 11. County or Parish, State CARBON, UTAH |
| | OPT OR OTHER DATA |
| 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPO | |
| TYPE OF SUBMISSION TYPE OF ACTIO | N |
| Notice of Intent Abandonment Recompletion | Change of Plans New Construction Non-Routine Fracturing |
| Subsequent Report Plugging Back Casing Repair | Water Shut-Off |
| Final Abandonment Notice Altering Casing Other APD EXTENSION | Conversion to Injection |
| Recompletion Report | ts of multiple completion on Well Completion or rt and Log form.) |
| 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of star give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* | rting any proposed work. If well is directionally drilled, |
| REQUEST FOR APD EXTENSION. DRILLING PROGRAM DELA' ENVIRONMENTAL STUDIES. | YED PENDING |
| | |

OF UTAH DIVISION OF OIL, GAS, AND MANUNG

BY: 187 Jackeus

MECINATION

FEB 1 4 1992

DIVISION OF OIL GAS & MINING

| | | | · · · · · · · · · · · · · · · · · · · | |
|---|---------|---|---------------------------------------|--------------|
| 4. I hereby certify that the foregoing is 100; and correct Signed Signed | Title _ | MGR. SPECIAL PROJECTS | Date | 2/7/92 |
| (This space for Federal or State office use) Approved by /S/ WILLIAM C. STRINGER | Title _ | Assistant District Manager for Minerals | Date | FEB 2 1992 |
| Conditions of approval, if any: | | | | |

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



1600 SMITH • SUITE 4600 • HOUSTON, TEXAS 77002-7348 TELEPHONE 713/651-1271

June 18, 1992

Utah Department of Natural Resources 355 West North Temple 3 Triad Center Salt Lake City, Utah 84180-1204

Re:

1210-2412 Well #1

1210-2302 Well #1 1210-1504 Well #1

1210-1204 Well #1 1210-0907 Well #1 1210-0708 Well #1

1210-0313 Well #1 Carbon County, Utah

DIVISION OF OIL GAS & MINING

Gentlemen:

For your well records, enclosed are two (2) copies each of Sundry Notice Request for APD Extension for the above referenced wells. The original Sundry Notices were sent to the BLM. If you require any additional information, please do not hesitate to contact our office.

Very truly yours,

B. E. Weichman

Special Projects Manager

BEW:Im Enclosures

| (June 1990) | UN | ITED STATES | _ |
|--|--------------------------------------|---|---|
| | DEPARTME | NT OF THE INTERIOR | FORM APPROVED Bodget Burean No. 1004-0135 |
| | BUREAU OF | LAND MANAGEMENT | Experies: March 31 Focz |
| | SHADRY NOTICES | AND DEPOSIT | 5. Lease Designation and Sartal No. UTU-65948 |
| Do not use this fo | (D) for necessary of | AND REPORTS ON WELLS | 6. If indian, Allottes or Tribe Name |
| Ü | Se "APPLICATION FO | AND REPORTS ON WELLS fill or to deepen or reentry to a different reservoi R PERMIT—" for such proposals | ir. |
| | | tor such proposals | N/A |
| | SUBMIT | IN TRIPLICATE | 7. If Unit or CA. Agreement Duriguation |
| 1. Type of Well | | | |
| Oil Ges | Other | · | ⊢ N/A |
| 2. Name of Operator | | | 8. Well Name and No. |
| 3. Address and Telephone No | krell Oil Corpor | ation | 1210-1204 #1 |
| | | | 9. API Well No. |
| 4. Location of Well (France) | Smith, Suite 46 | 00 Houston, TX 77002 | 43-007-30125 |
| - v - v - | De Survey De | (crimica) | 10. Field and Pool, or Exploratory Area Wildcat |
| 1140 ENE, [] | 71; FWL (SE NW | NW) Sec 12, T12S, R10E | 11. County or Parish, State |
| | | , | • |
| IZ CHECK AS | PRODUIATE - | · | Carbon County, Uta |
| | PHOPHIATE BOX(8 | TO INDICATE NATURE OF NOTICE, REPO | RT. OR OTHER DATA |
| TYPE OF SU | BMISSION | TYPE OF ACTION | |
| Notice of In | tunt | | |
| _ | | Abendonment | Compt of Plans |
| L. Subsequent ; | Report | Recompletion | New Communication |
| | | ☐ Plagging Back ☐ Casing Repair | Nos-Rostina Fracturing |
| L. Final Aband | Ottomet Notice | Altering Casing | Webs State Off |
| | | APD Extension | Conversion to Injection |
| I De la company | | | Dispose Water (None: Report sealable of makinda securities on Water |
| has superigen locations as passing troposed or Combin | and Operations (Clearly state all pa | without details, and give porthrest dates, including estimated date of starting for all markers and zones porthrest to this work.)* | Completion or Recompletion Report and Log form. |
| D: | | section for all markets and some pertinent to that work.)* | E - A brokener sour it soul it questionally deliner |
| Request for | APD Extension. | Drilling program delayed pending | 0-1-1-1 |
| | | o . o sereyou pending t | environmental studies. |
| | | | |
| | | | |
| • | | | |
| | | | |
| | |] <u>"</u> | |
| | | | |
| | | · · · · · · · · · · · · · · · · · · · | -15, |
| | | APPROVED BY THE STATE | 'JUN 2 2 1992 |
| | | OF UTAH DIVISION OF | |
| | | OIL, GAS, AND MINING | DIVISION OF |
| | | DATE: 6-24-92 1 C | DL GAS & MINIMO |
| | | W without | |
| | • | - July July - | , , , , , , , , , , , , , , , , , , , |
| | | | |
| I hereby occurs that the foregon | g is true and convex | | |
| Signed | Uman | Time Mgr. Special Projects | 610105 |
| (This space for Federal or State | office use) | - Front Tojects | 6/8/92 |
| Агргочед by | | · · · · · · · · · · · · · · · · · · · | |
| Conditions of approval, if any: | | Title | Date |
| | | <i>-</i> | |
| IR U.S.C. Section 1001 makes | t & Come for an | | |
| Processions as to any matter wi | | gly and willfully to make to any department or agency of the United Str | |

*See instruction on Reverse Side

Berkshire Lane, Suite 600 5, Texas 75225 Telephone 214/750-3800 FAX 214/750-3883

July 6, 1992

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
355 West Temple
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203



Attn:

Mr. R.J. Firth

Associate Director Oil & Gas

RE: Change of Operator

Castlegate, CBM Project Cockrell Oil Corporation to PG&E Resources Company

Dear Sir:


Please find enclosed for the above referenced subject Sundry Notices; Form 9 (in triplicate) for the following wells located in Carbon County:

STATE

Schimmin Trust No. 1
Schimmin Trust No. 2
Schimmin Trust No. 3
Schimmin Trust No. 4
Schimmin Trust No. 5
1210-1602 No. 1
1210-1609 No. 1



No. 1 1210-0313 1210-0708 No. 1 1210-0806 No. 1 No. 1 1210-0907 1210-1204 No. 1 1210-1304 No. 1 1210-1504 No. 1 No. 1 1210-2302 No. 1 1210-2304 1210-2310 No. 1 1210-2404 No. 1 1210-2412 No. 1



JUL 1 () 1992

DIVISION OF OIL GAS & MINING

Should additional information be required or if questions arise, please contact the undersigned at (214) 750-3988.

Sincerely,

Jim LaFevers

Regulatory Affairs Supervisor

JL/ap

wp51/jl/chgoper.ltr

Do not use this form for propos

1. Type of Well ☐ ‰ 2. Name of Operator

3. Address of Operator

201

5. Location of Well Footage

| | STATE OF UTAH PARTMENT OF NATURAL RESOURCE VISION OF OIL, GAS AND MINI | | 6. Lease Designation and Serial Number UTU-65949 7. Indian Allottee or Tribe Name |
|--|--|--|---|
| o not use this form for proposals to d | IOTICES AND REPORTS Of the second street wells, deepen existing wells, or to reput the second property of the seco | senter plugged and abandoned wells, | N/A 8. Unit or Communitization Agreement N/A |
| Type of Well Oil X Gas Well Well | Other (specify) | | 9. Well Name and Number 1210-1204 #1 |
| Name of Operator PG&E Resources | And the second s | , | 10. API Well Number 43-007-30125 |
| Address of Operator 5950 Berkshire | Ln., Ste. 600, Dallas, | 4. Telephone Number | 11. Field and Pool, or Wildcat Wildcat |
| | FNL 1171' FWL 2, Section 12, T12S, R 10 |)E State | : Carbon : UTAH |
| NOTIC | PRIATE BOXES TO INDIGATE NEOF INTENT tin Duplicate) | SUBSE | QUENT REPORT Original Form Only) |
| Abandonment Casing Repair Change of Plans Conversion to Injection Fracture Treat Multiple Completion Other | New Construction Pull or Alter Casing Recompletion Shoot or Acidize Vent or Flare Water Shut-Off | Abandonment * Casing Repair Change of Plans Conversion to Injection Fracture Treat Other Change Date of Work Completion | New Construction Pull or Alter Casing Shoot or Acidize Vent or Flare Water Shut-Off of Operator |
| Approximate Date Work Will S | tart , | | |

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised PG&E Resources Company has acquired the above named well from Cockrell Oil Corporation, 1600 Smith Street, Suite 4600, Houston, TX 77002-7348, as of July 1, 1992.

Bond coverage for this well will be provided by Bond No. 8063-38-07 and by Bond No. 8057-26-00.

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

Must be accompanied by a cement verification report.

DIVISION OF

| | | | OIL GAS & MINING | | |
|----------------------------------|------------------------------|------------------|---------------------|--|--|
| 14. I hereby certify that the fo | oregoing is true and correct | | | | |
| Name & Signature | LaFevers Jun In Fevers | Title Regulatory | Affairs Date 1/6/92 | | |
| (State Use Only) | | | | | |
| | | | | | |

Form 3160-5 (June 1990)

1. Type of Well

| UNITED 5 | IAIES |
|----------------|--------------|
| DEPARTMENT OF | THE INTERIOR |
| BUREAU OF LAND | MANAGEMEN7 |

| FORM APPRO | OVED |
|-------------------|-----------|
| Budget Bureau No. | 1004-0135 |
| Expires: March | 31, 1993 |

| | Expires: | | <u>31, 199</u> |)3 |
|-------|----------|---|----------------|-----|
| | Designat | | Serial | No. |
| TOOTY | CEAL | ^ | | |

| SUNDRY NOTICES AND REPORTS ON WELLS |
|-------------------------------------|
|-------------------------------------|

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

UTU-65949 6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

N/A

N/A

8. Well Name and No.

3.

| Name of Operator | | 1210-1204 #1 |
|---|----------------------------------|---|
| PG&E Resource Company 3. Address and Telephone No. | - Main | 9. API Well No. 43-007-30125 |
| 5950 Berkshire Lane, Suit Location of Well (Footage, Sec., T., R., M., or Survey De 1140' FNL, 1171' FWL, Section | scription) | 10. Field and Pool, or Exploratory Area Wildcat 11. County or Parish, State Carbon, UT |
| 2. CHECK APPROPRIATE BOX(s | S) TO INDICATE NATURE OF NOTICE, | REPORT, OR OTHER DATA |
| TYPE OF SUBMISSION | TYPE OF | ACTION |
| Notice of Intent | Abandonment | Change of Plans |
| X Subsequent Report | Recompletion Plugging Back | New Construction Non-Routine Fracturing |
| Final Abandonment Notice | Casing Repair Altering Casing | Water Shut-Off Conversion to Injection |

Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

X Other Change of Operator

Please be advised PG&E Resources Company has acquired the above named well from Cockrell Oil Corporation, 1600 Smith Street, Suite 4600, Houston, TX 77002-7348, as of July 1, 1992.

Bond Coverage for this well will be provided by Bond No. U-187011.

Dispose Water

(Note: Report results of multiple completion on Well

JUL 3 0 1992

DIVISION OF OIL GAS & MINING

| 14. I hereby certify that the foregoing is true and correct | | |
|--|--|---------|
| Signed Jum In Fevers | Tide Regulatory Affairs Supervisor Date | 16/92 |
| Approved by Line of the Company of t | Assistant District Manager Title for Minerals Page 7/ | 27/92 |
| Conditions of approval, if any: | COMMISSION OF LIVER A COMMISSION OF THE |) Owner |

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

PG&E Resources Company
Well No. 1210-1204 #1
NWNW Sec. 12, T. 12 S., R. 10 E.
Carbon County, Utah
Lease U-65949

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

The state of the s

Be advised that PG&E Resources Company is considered to be the operator of the above well and is responsible under the terms and conditions of the lease for the operations conducted on the leased lands.

Bond coverage for this well is provided by WY2554 (Principal - PG&E Resources Company) via surety consent as provided for in 43 CFR 3104.2.

| DIVISION OF DIA, Gas and Mining OPERATOR CHANGE WORKSHEET 1-VAR 7-LOK | 4 |
|---|----------------------------|
| Attach all documentation received by the division regarding this change. (Initial each listed item when completed. Write N/A if item is not applicable. 4-RJF | 1 |
| © Change of Operator (well sold) ☐ Designation of Agent ☐ Designation of Operator ☐ Operator Name Change Only ☐ 6-ADA | 1 |
| The operator of the well(s) listed below has changed (EFFECTIVE DATE: | |
| TO (new operator) PG&E RESOURCES COMPANY (address) FROM (former operator) COCKRELL OIL CORPORATION (address) 1600 SMITH STE 4600 HOUSTON, TX 77002-7348 JIM LEFEVERS phone (214) 750-3824 account no. N 0595(X) N 1035 | |
| | _ |
| dell(S) (attach additional page if needed): | |
| Name: 1210-2310 #1/DRL API: 43-007-30124 Entity: 99999 Sec 23 Twp12S Rng 10E Lease Type: U-65 Name: FEDERAL 4-13/DRL API: 43-007-30125 Entity: 99999 Sec 12 Twp12S Rng 10E Lease Type: U-65 Name: 1210-2404 #1/DRL API: 43-007-30126 Entity: 99999 Sec 24 Twp12S Rng 10E Lease Type: U-65 Name: 1210-2304 #1/DRL API: 43-007-30127 Entity: 99999 Sec 24 Twp12S Rng 10E Lease Type: U-65 Name: 1210-0313 #1/DRL API: 43-007-30134 Entity: 99999 Sec 3 Twp12S Rng 10E Lease Type: U-65 Name: 1210-0708 #1/DRL API: 43-007-30135 Entity: 99999 Sec 3 Twp12S Rng 10E Lease Type: U-65 CONT. | 94 94 94 94 94 |
| OPERATOR CHANGE DOCUMENTATION . | |
| N/A 1. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from <u>forme</u> operator (Attach to this form). * 8 fm Approvals No. 17-30-92. | |
| 2. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from <u>new</u> operato (Attach to this form). (Rec'd 7-10-92) | r |
| 3. The Department of Commerce has been contacted if the new operator above is not currentl operating any wells in Utah. Is company registered with the state? (yes/no) I yes, show company file number: | l y [f |
| 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status is comments section of this form. Management review of Federal and Indian well operated changes should take place prior to completion of steps 5 through 9 below. | ın |
| JCF5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (7-31-92) | 11 |
| Jcf 6. Cardex file has been updated for each well listed above. [7-31-92] | |
| 7. Well file labels have been updated for each well listed above. (7-31-92) | |
| for distribution to State Lands and the Tax Commission. (7-31-92) | |
| 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents. | en |

| DPERATOR CHANGE MORKSHEET (CONTINUED) Init of each item when completed. Write N/A item is not applicable. |
|---|
| ENTITY REVIEW |
| 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form). |
| 以/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes. |
| BOND VERIFICATION (Fee wells only) |
| אלא 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. |
| N/A 2. A copy of this form has been placed in the new and former operators' bond files. |
| NA 3. The former operator has requested a release of liability from their bond (yes/no) f Today's date 19 If yes, division response was made by letter f dated 19 |
| LEASE INTEREST OHNER NOTIFICATION RESPONSIBILITY |
| 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested. |
| 2. Copjes of documents have been sent to State Lands for changes involving State leases. |
| FILMING |
| TWM 1. All attachments to this form have been microfilmed. Date: <u>Aug 21</u> 19 <u>92</u> . |
| FILING |
| 1. Copies of all attachments to this form have been filed in each well file. |
| 2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file. |
| COMMENTS |
| |
| |
| |
| |
| 4571/34_35 |

PG&E Resources Company

6688 N. Central Expressway, Suite 1000 Sis, Texas 75206-3922 Shone 214/750-3800 FAX 214/750-3883

September 25, 1992

U.S. Department of the Interior Bureau of Land Management Moab District Office P.O. Box 970 Moab, Utah 84532



Attn: Mr. Bill Stringer

Assistant District Manager

RE: PG&E Resources Company

Castlegate CBM Project Carbon County, Utah

Dear Mr. Stringer:

Please find enclosed Sundry Notices; Form 3160-5 (in triplicate) requesting your office to cancel the approved Application for Permit to Drill (APD) for the following wells within the above referenced project.

| Federal | 1210-0313 | No.1 - |
|---------|-----------|--------|
| Federal | 1210-0708 | No.1- |
| Federal | 1210-1204 | No.1 - |
| Federal | 1210-2302 | No.1 - |
| Federal | 1210-2304 | No.1- |
| Federal | 1210-2404 | No.1- |
| Federal | 1210-2412 | No.1 - |

PG&E Resources Company currently has no plans to drill these wells at this time. Should you require additional information, please contact me at (214) 750-3988.

Sincerely,

Jim LaFevers Supervisor

Regulatory Affairs

cc: D.W. Moore

Mr. Frank Matthews Division of Oil, Gas & Mining 3 Triad Center, Ste. 350 Salt Lake City, UT 84180

SEP 3 0 1992

DIVISION OF OIL GAS & MINING

wp51\ji\form3160.ltr

Form 3160-5 (June 1990)

12.

TYPE OF SUBMISSION

Notice of Intent

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135

| Expires: | March | 31, 1993 | |
|----------|-------|-------------|--|
| | | | |
| Th | | Carried No. | |

| • | • | IN | 16 | bv | | T-1 | ~= | • | A & | | | 36 | \mathbf{D} | ъ. | TC | ΔN | WEILE |
|----|---|----|----|------|----|---|-----|----|-----|---|-----|----|--------------|----|----|------------|-------|
| -3 | ı | ж | u | ו חי | NU | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | U E | Э, | Αг | ı | , , | 16 | ru | n | 13 | UR | WELLS |

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

UTU-65949

6. If Indian, Allottee or Tribe Name

Change of Plans

New Construction

| OSE AFFLICATION FOR FERMIT— 101 Such proposals | |
|---|--|
| SUBMIT IN TRIPLICATE | 7. If Unit or CA, Agreement Designation |
| 1. Type of Well Oil Well Well Other | N/A 8. Well Name and No. |
| 2. Name of Operator PG&E Resources Company 3. Address and Telephone No. | Federal 1210-1204 No. 1 |
| 6688 N. Central Expressway, Suite 1000, Dallas, TX 75206-3922 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) | 43-007-30125 10. Field and Pool, or Exploratory Area Wildcat |
| 1140' FNL & 1171' FWL NW NW, Section 12, T12S-R10E | 11. County or Parish, State Carbon |
| | |

CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

X Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice

Abandonment

Recompletion

Altering Casing Conversion to Injection Other Cancel Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

TYPE OF ACTION

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*


PG&E Resources Company requests cancellation of the approved Application for Permit to Drill (APD) for the referenced well.

> ACCEPTED BY THE STATE OF UTAH DIVISION OF SEP 3 0. 1992 DIVISION OF OIL GAS & MINING

| 14. I hereby certify that the foregoing is true and correct Signed Super | Title _ | Regulatory Affairs Supervisor | Date _ | 9/25/52 |
|--|---------|-------------------------------|---------------------------------------|---------|
| (This space for Federal or State office use) | | | · · · · · · · · · · · · · · · · · · · | |
| Approved by Conditions of approval, if any: | Title _ | | Date | |

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statem or representations as to any matter within its jurisdiction.





355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

October 6, 1992

Mr. Jim LaFevers PG & E Resources Company 6688 N. Central Expressway, Suite 1000 Dallas, Texas 75206-3922

Dear Mr. LaFevers:

Re: Federal 1210-1204 #1, Sec. 12, T. 12S, R. 10E, Carbon County, Utah,

API No. 43-007-30125

Per your request, approval to drill the above referenced well is hereby rescinded. A new Application for Permit to Drill must be filed with this office for approval, <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division of Oil, Gas and Mining immediately.

Sincerely,

Don Staley Administrative Manager Oil and Gas

on Atchy

DME/ldc

cc: R.J. Firth

Bureau of Land Management - Moab

Well file

WOI139

Moab District P. O. Box 970 Moab, Utah 84532

3162 (U-65948)(U-065)

OCT 27 1992

PG&E Resources Company 6688 N. Central Expressway, Suite 1000 Dallas, Texas 75206-3922

Rescinding Application for Permit to Drill

Well No. 1210-1204 No. 1 43-007-30125 NWNW Sec. 12, T. 12 S., R. 10 E.

Carbon County, Utah

Lease U-65948

Gentlemen:

Please find enclosed Application for Permit to Drill (APD) dated October 15, 1990 which is being rescinded upon your request.

Should you intend to drill at this location at a future date, a new application for permit to drill must be submitted.

If you have any questions, please contact the Branch of Fluid Minerals at (801) 259-6111.

Sincerely,

/S/ WILLIAM C. STRINGER

Assistant District Manager Mineral Resources

Enclosure

1. Application for Permit to Drill

State of Utah


Division of Oil, Gas and Mining

355 West North Temple

3 Triad Center, Suite 350

Salt Lake City, Utah 84180-1203 (wo/Enclosure) Price River Resource Area, U-066 (wo/Enclosure)

VButts:vb: 10/27/92



DIVISION OF OIL GAS & MINING